

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded format=xelatex)
restricted \write18 enabled.

entering extended mode

(./main.tex

LaTeX2e <2014/05/01>

Babel <3.9|> and hyphenation patterns for 79 languages loaded.

(./xepersian-thesis-tex.cls

Document Class: xepersian-thesis-tex 2009/01/05 v0.1 Persian thesis document class in XeLaTeX

(c:/texlive/2014/texmf-dist/tex/latex/base/report.cls

Document Class: report 2014/09/29 v1.4h Standard LaTeX document class

(c:/texlive/2014/texmf-dist/tex/latex/base/size12.clo))) (./definitions.tex

(c:/texlive/2014/texmf-dist/tex/latex/geometry/geometry.sty

(c:/texlive/2014/texmf-dist/tex/latex/graphics/keyval.sty)

(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/ifpdf.sty)

(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/ifvtex.sty)

(c:/texlive/2014/texmf-dist/tex/generic/ifxetex/ifxetex.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsmath.sty

For additional information on amsmath, use the '?' option.

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amstext.sty

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsgen.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsbsy.sty)

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsopn.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amscls/amsthm.sty)

(c:/texlive/2014/texmf-dist/tex/latex/amsfonts/amssymb.sty

(c:/texlive/2014/texmf-dist/tex/latex/amsfonts/amsfonts.sty))

(c:/texlive/2014/texmf-dist/tex/latex/footmisc/footmisc.sty)

(c:/texlive/2014/texmf-dist/tex/latex/multirow/multirow.sty)

(c:/texlive/2014/texmf-dist/tex/latex/subfigure/subfigure.sty

* Local config file subfigure.cfg used *

(c:/texlive/2014/texmf-dist/tex/latex/subfigure/subfigure.cfg))

(c:/texlive/2014/texmf-dist/tex/latex/cite/cite.sty)

(c:/texlive/2014/texmf-dist/tex/latex/setspace/setspace.sty)

(c:/texlive/2014/texmf-dist/tex/latex/parskip/parskip.sty)

(c:/texlive/2014/texmf-dist/tex/latex/fancyhdr/fancyhdr.sty)

Package Fancyhdr Warning: \fancyfoot's `E' option without twoside option is use
less on input line 18.

Package Fancyhdr Warning: \fancyhead's `E' option without twoside option is use
less on input line 19.

Package Fancyhdr Warning: \fancyhead's `E' option without twoside option is use
less on input line 20.

(c:/texlive/2014/texmf-dist/tex/xelatex/xecolor/xecolor.sty

(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec.sty

(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/expl3.sty

(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/expl3-code.tex

(c:/texlive/2014/texmf-dist/tex/latex/etex-pkg/etex.sty))

(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/l3unicode-data.def)

(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/l3xdvipdfmx.def))

(c:/texlive/2014/texmf-dist/tex/latex/l3packages/xparse/xparse.sty)

(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec-patches.sty)

(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec-xetex.sty
(c:/texlive/2014/texmf-dist/tex/latex/base/fontenc.sty
(c:/texlive/2014/texmf-dist/tex/latex/euenc/eu1enc.def)
(c:/texlive/2014/texmf-dist/tex/latex/euenc/eu1lmr.fd))
(c:/texlive/2014/texmf-dist/tex/xelatex/xunicode/xunicode.sty
(c:/texlive/2014/texmf-dist/tex/latex/tipa/t3enc.def
(c:/texlive/2014/texmf-dist/tex/latex/euenc/eu1lmss.fd))
(c:/texlive/2014/texmf-dist/tex/latex/graphics/graphicx.sty
(c:/texlive/2014/texmf-dist/tex/latex/graphics/graphics.sty
(c:/texlive/2014/texmf-dist/tex/latex/graphics/trig.sty)
(c:/texlive/2014/texmf-dist/tex/latex/latexconfig/graphics.cfg)
(c:/texlive/2014/texmf-dist/tex/xelatex/xetex-def/xetex.def))))
(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec.cfg)))
(c:/texlive/2014/texmf-dist/tex/generic/iftex/iftex.sty))
(c:/texlive/2014/texmf-dist/tex/latex/base/makeidx.sty)
(c:/texlive/2014/texmf-dist/tex/latex/tools/verbatim.sty)
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/hyperref.sty
(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/hobsub-hyperref.sty
(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/hobsub-generic.sty))
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/auxhook.sty)
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/kvoptions.sty)
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/pd1enc.def)
(c:/texlive/2014/texmf-dist/tex/latex/latexconfig/hyperref.cfg)
(c:/texlive/2014/texmf-dist/tex/latex/url/url.sty))

Package hyperref Message: Driver (autodetected): hxdetex.

(c:/texlive/2014/texmf-dist/tex/latex/hyperref/hxdetex.def
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/putenc.def)

(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/stringenc.sty)
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/rerunfilecheck.sty))
(c:/texlive/2014/texmf-dist/tex/latex/base/ifthen.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian.sty
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian-persiancal.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian-mathsdigitspec.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/bidi.sty

*

* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)

*

* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.

*

* Copyright (c) 2009--2015 Vafa Khalighi

*

* 2015/02/17, v16.9

*

* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)

*

* Location on CTAN: /macros/xetex/latex/bidi

*

* Issue tracker: <https://github.com/persian-tex/bidi/issues>

*

* Support: persian-tex@tug.org

(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/biditools.sty)
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/zref-abspage.sty
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/zref-base.sty))
(c:/texlive/2014/texmf-dist/tex/latex/xkeyval/xkeyval.sty
(c:/texlive/2014/texmf-dist/tex/generic/xkeyval/xkeyval.tex
(c:/texlive/2014/texmf-dist/tex/generic/xkeyval/xkvutils.tex)))
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/latex-xetex-bidi.def
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/footnote-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/report-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/amsmath-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/amstext-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/amsthm-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/graphicx-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/geometry-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/hyperref-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/fancyhdr-xetex-bidi.def)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/subfigure-xetex-bidi.def))
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/loadingorder-xetex-bidi.def))

*

* xepersian package (Persian for LaTeX, using XeTeX engine)

*

* Description: The package supports Persian

* typesetting, using fonts provided in the

* distribution.

*

* Copyright (c) 2008--2015 Vafa Khalighi

*

* v16, 2015/02/02

*

* License: LaTeX Project Public License, version

* 1.3c or higher (your choice)

*

* Location on CTAN: /macros/xetex/latex/xepersian

*

* Issue tracker: <https://github.com/persian-tex/xepersian/issues>

*

* Support: persian-tex@tug.org

(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/loadingorder-xepersian.def)

(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/fontspec-xetex-xepersian.def)

(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/footnote-xepersian.def)

(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/hyperref-xepersian.def)

(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/report-xepersian.def))

(c:/texlive/2014/texmf-dist/tex/latex/fncychap/fncychap.sty)

* fontspec warning: "language-not-exist"

*

* Language 'Parsi' not available for font 'IranNastaliq' with script 'Parsi'.

* 'Default' language used instead.

* fontspec warning: "language-not-exist"

*

* Language 'Parsi' not available for font 'IranNastaliq' with script 'Parsi'.

* 'Default' language used instead.

* fontspec warning: "language-not-exist"

*

* Language 'Parsi' not available for font 'IranNastaliq' with script 'Parsi'.

* 'Default' language used instead.

!!

!

! fontspec error: "font-not-found"

!

! The font "XP Ziba" cannot be found.

!

! See the fontspec documentation for further information.

!

! For immediate help type H <return>.

!.....

l.82 ...ersianfont\anotherfont[Scale=1.2]{XP Ziba}

?