

## هنگام اجرای فایل main با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded format=xelatex)

restricted \write18 enabled.

entering extended mode

(./main.tex

LaTeX2e <2014/05/01>

Babel <3.9l> and hyphenation patterns for 79 languages loaded.

(./xepersian-thesis-tex.cls

Document Class: xepersian-thesis-tex 2009/01/05 v0.1 Persian thesis document class in XeLaTeX

(c:/texlive/2014/texmf-dist/tex/latex/base/report.cls

Document Class: report 2014/09/29 v1.4h Standard LaTeX document class

(c:/texlive/2014/texmf-dist/tex/latex/base/size12.clo))) (./definitions.tex

(c:/texlive/2014/texmf-dist/tex/latex/geometry/geometry.sty

(c:/texlive/2014/texmf-dist/tex/latex/graphics/keyval.sty)

(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/ifpdf.sty)

(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/ifvtex.sty)

(c:/texlive/2014/texmf-dist/tex/generic/ifxetex/ifxetex.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsmath.sty

For additional information on amsmath, use the '?' option.

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amstext.sty

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsgen.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amssbsy.sty)

(c:/texlive/2014/texmf-dist/tex/latex/amsmath/amsopn.sty))

(c:/texlive/2014/texmf-dist/tex/latex/amscs/amsthm.sty)

(c:/texlive/2014/texmf-dist/tex/latex/amssymb/amssymb.sty

(c:/texlive/2014/texmf-dist/tex/latex/amssymb/amssymb.sty))

(c:/texlive/2014/texmf-dist/tex/latex/footmisc/footmisc.sty)

(c:/texlive/2014/texmf-dist/tex/latex/bigfoot/perpage.sty)

(c:/texlive/2014/texmf-dist/tex/latex/multirow/multirow.sty)

(c:/texlive/2014/texmf-dist/tex/latex/subfigure/subfigure.sty

\*\*\*\*\*

\* Local config file subfigure.cfg used \*

\*\*\*\*\*

(c:/texlive/2014/texmf-dist/tex/latex/subfigure/subfigure.cfg))

(c:/texlive/2014/texmf-dist/tex/latex/cite/cite.sty)

(c:/texlive/2014/texmf-dist/tex/latex/setspace/setspace.sty)

(c:/texlive/2014/texmf-dist/tex/latex/parskip/parskip.sty)

(c:/texlive/2014/texmf-dist/tex/latex/fancyhdr/fancyhdr.sty)

Package Fancyhdr Warning: \fancyfoot's 'E' option without twoside option is use less on input line 18.

Package Fancyhdr Warning: \fancyhead's 'E' option without twoside option is use less on input line 19.

Package Fancyhdr Warning: \fancyhead's 'E' option without twoside option is use less on input line 20.

```

(c:/texlive/2014/texmf-dist/tex/xelatex/xecolor/xecolor.sty
(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec.sty
(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/expl3.sty
(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/expl3-code.tex
(c:/texlive/2014/texmf-dist/tex/latex/etex-pkg/etex.sty))
(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/l3unicode-data.def)
(c:/texlive/2014/texmf-dist/tex/latex/l3kernel/l3xdvipdfmx.def))
(c:/texlive/2014/texmf-dist/tex/latex/l3packages/xparse/xparse.sty)
(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec-patches.sty)
(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec-xetex.sty
(c:/texlive/2014/texmf-dist/tex/latex/base/fontenc.sty
(c:/texlive/2014/texmf-dist/tex/latex/luatex/luatex.def)
(c:/texlive/2014/texmf-dist/tex/latex/luatex/luatex-lm.fd))
(c:/texlive/2014/texmf-dist/tex/xelatex/xunicode/xunicode.sty
(c:/texlive/2014/texmf-dist/tex/latex/tipa/t3enc.def
(c:/texlive/2014/texmf-dist/tex/latex/luatex/luatex-lmss.fd))
(c:/texlive/2014/texmf-dist/tex/latex/graphics/graphicx.sty
(c:/texlive/2014/texmf-dist/tex/latex/graphics/graphics.sty
(c:/texlive/2014/texmf-dist/tex/latex/graphics/trig.sty)
(c:/texlive/2014/texmf-dist/tex/latex/latexconfig/graphics.cfg)
(c:/texlive/2014/texmf-dist/tex/xelatex/xetex-def/xetex.def))))
(c:/texlive/2014/texmf-dist/tex/latex/fontspec/fontspec.cfg)))
(c:/texlive/2014/texmf-dist/tex/generic/iftex/iftex.sty))
(c:/texlive/2014/texmf-dist/tex/latex/base/makeidx.sty)
(c:/texlive/2014/texmf-dist/tex/latex/tools/verbatim.sty)
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/hyperref.sty
(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/hobsub-hyperref.sty
(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/hobsub-generic.sty))
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/auxhook.sty)
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/kvoptions.sty)
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/pd1enc.def)
(c:/texlive/2014/texmf-dist/tex/latex/latexconfig/hyperref.cfg)
(c:/texlive/2014/texmf-dist/tex/latex/url/url.sty))

```

Package hyperref Message: Driver (autodetected): hxeTeX.

```

(c:/texlive/2014/texmf-dist/tex/latex/hyperref/hxeTeX.def
(c:/texlive/2014/texmf-dist/tex/latex/hyperref/psenc.def)
(c:/texlive/2014/texmf-dist/tex/generic/oberdiek/stringenc.sty)
(c:/texlive/2014/texmf-dist/tex/latex/oberdiek/rerunfilecheck.sty))
(c:/texlive/2014/texmf-dist/tex/latex/base/ifthen.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian.sty
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian-persiancal.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/xepersian/xepersian-mathsdigitspec.sty)
(c:/texlive/2014/texmf-dist/tex/xelatex/bidi/bidi.sty

```

```

*****

```

```

*

```

```

* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*

```

```

* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.

```

\*  
 \* Copyright (c) 2009--2015 Vafa Khalighi  
 \*  
 \* 2015/02/17, v16.9  
 \*  
 \* License: LaTeX Project Public License, version  
 \* 1.3c or higher (your choice)  
 \*  
 \* Location on CTAN: /macros/xetex/latex/bidi  
 \*  
 \* Issue tracker: <https://github.com/persian-tex/bidi/issues>  
 \*  
 \* Support: [persian-tex@tug.org](mailto:persian-tex@tug.org)

\*\*\*\*\*

(c:/texlive/2014/texmf-dist/tex/xetex/bidi/biditools.sty)  
 (c:/texlive/2014/texmf-dist/tex/latex/oberdiek/zref-abspage.sty  
 (c:/texlive/2014/texmf-dist/tex/latex/oberdiek/zref-base.sty)

! LaTeX Error: Command \c@abspage already defined.  
 Or name \end... illegal, see p.192 of the manual.

See the LaTeX manual or LaTeX Companion for explanation.  
 Type H <return> for immediate help.

...  
 1.56 \newcounter{abspage}  
 %  
 ?

## هنگام اجرای فایل abstract با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
 format=xelatex)  
 restricted \write18 enabled.  
 entering extended mode  
 (./abstract\_en.tex  
 LaTeX2e <2014/05/01>  
 Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! LaTeX Error: Missing \begin{document}.

See the LaTeX manual or LaTeX Companion for explanation.  
 Type H <return> for immediate help.

...  
 1.2 \noindent  
 ?

## هنگام اجرای فایل abstract fa با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
 format=xelatex)  
 restricted \write18 enabled.  
 entering extended mode  
 (./abstract\_fa.tex

LaTeX2e <2014/05/01>

Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! LaTeX Error: Missing \begin{document}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

l.2 \noindent

%

?

## هنگام اجرای فایل appendix 1 با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded

format=xelatex)

restricted \write18 enabled.

entering extended mode

(./appendix\_1.tex

LaTeX2e <2014/05/01>

Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! Undefined control sequence.

l.1 \chapter

{مقدمات}

?

## هنگام اجرای فایل appendix 2 با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded

format=xelatex)

restricted \write18 enabled.

entering extended mode

(./appendix\_2.tex

LaTeX2e <2014/05/01>

Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! Undefined control sequence.

l.1 \chapter

{عنوان فصل یا پیوست}

?

## هنگام اجرای فایل chapter 1 با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded

format=xelatex)

restricted \write18 enabled.

entering extended mode

(./chapter\_1.tex

LaTeX2e <2014/05/01>

Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! Undefined control sequence.

?

**هنگام اجرای فایل chapter 2 با پیغام ذیل مواجه شدم:**

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
format=xelatex)  
restricted \write18 enabled.  
entering extended mode  
(./chapter\_2.tex  
LaTeX2e <2014/05/01>  
Babel <3.9l> and hyphenation patterns for 79 languages loaded.  
! Undefined control sequence.

1.1 \chapter

{مقدمه‌ای بر تحلیل پوششی داده‌ها}

?

**هنگام اجرای فایل chapter 3 با پیغام ذیل مواجه شدم:**

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
format=xelatex)  
restricted \write18 enabled.  
entering extended mode  
(./chapter\_3.tex  
LaTeX2e <2014/05/01>  
Babel <3.9l> and hyphenation patterns for 79 languages loaded.  
! Undefined control sequence.

1.1 \chapter

{پوششی بهبود یافته در تحلیل پوششی د...}

?

**هنگام اجرای فایل chapter 4 با پیغام ذیل مواجه شدم:**

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
format=xelatex)  
restricted \write18 enabled.  
entering extended mode  
(./chapter\_4.tex  
LaTeX2e <2014/05/01>  
Babel <3.9l> and hyphenation patterns for 79 languages loaded.  
! Undefined control sequence.

1.1 \chapter

{پوششی بهبود یافته در تحلیل پوششی دا...}

?

## هنگام اجرای فایل chapter 5 با پیغام ذیل مواجه شدم:

```
This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded
format=xelatex)
restricted \write18 enabled.
entering extended mode
(./chapter_5.tex
LaTeX2e <2014/05/01>
Babel <3.9l> and hyphenation patterns for 79 languages loaded.
! Undefined control sequence.
l.1 \chapter
```

{بحث و نتیجه گیری}

?

## هنگام اجرای فایل EF با پیغام ذیل مواجه شدم:

```
This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded
format=xelatex)
restricted \write18 enabled.
entering extended mode
(./EF.tex
LaTeX2e <2014/05/01>
Babel <3.9l> and hyphenation patterns for 79 languages loaded.

! LaTeX Error: Missing \begin{document}.
```

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

```
l.6 \begin{center}
?
```

## هنگام اجرای فایل definitions با پیغام ذیل مواجه شدم:

```
This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded
format=xelatex)
restricted \write18 enabled.
entering extended mode
(./definitions.tex
LaTeX2e <2014/05/01>
Babel <3.9l> and hyphenation patterns for 79 languages loaded.
```

! LaTeX Error: \usepackage before \documentclass.

See the LaTeX manual or LaTeX Companion for explanation.  
Type H <return> for immediate help.

...

```
l.1 \usepackage[vmargin=3.5cm,left=3cm,right=4cm]{
geometry}
```

?

## هنگام اجرای فایل introduction با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
format=xelatex)  
restricted \write18 enabled.  
entering extended mode  
(./introduction.tex  
LaTeX2e <2014/05/01>  
Babel <3.9l> and hyphenation patterns for 79 languages loaded.  
! Undefined control sequence.  
1.3 \section

\*{مقدمه}

?

## هنگام اجرای فایل thanks با پیغام ذیل مواجه شدم:

This is XeTeX, Version 3.14159265-2.6-0.99991 (TeX Live 2014/W32TeX) (preloaded  
format=xelatex)  
restricted \write18 enabled.  
entering extended mode  
(./thanks.tex  
LaTeX2e <2014/05/01>  
Babel <3.9l> and hyphenation patterns for 79 languages loaded.  
! Undefined control sequence.  
1.2 {\nastaliqonee  
?